



KK3105N16W3S



KK2107N10W3S



KK2107N10W3G



KK21T1NG

Poggiatesta, struttura in nylon fissa con imbottitura in poliuretano espanso.

Schienale alto con telaio portante in nylon. Cornice di supporto rete in materiale plastico. Supporto lombare regolabile in polipropilene.

Sedile: struttura portante interna in legno multistrato di faggio.

Sottosedile in polipropilene.

Imbottitura in poliuretano espanso.

Braccioli fissi o regolabili in nylon.

Meccanismo synchron.

Gas: sistema di regolazione altezza sedile tramite alzata a gas.

Base 5 razze in nylon o alluminio.

Ruote piroettanti a doppio battistrada.

Backrest: High backrest with load-bearing structure made of nylon. Support structure of net made of plastic. Lumbar support made of polypropylene and adjustable in height.

Seat: internal load-bearing structure made of beech multilayer.

Underseat made of polypropylene.

Padding made of foamed polyurethane.

Fixed or adjustable **armrests** made of nylon.

Synchron **mechanism**.

Gas: height-adjustment system by gas lift.

5-spoke **base** made of nylon or aluminum.

Pirouetting **castors** with double tread.

Schienale alto con telaio portante in nylon. Cornice di supporto rete in materiale plastico. Supporto lombare regolabile in polipropilene.

Sedile: struttura portante interna in legno multistrato di faggio.

Sottosedile in polipropilene.

Imbottitura in poliuretano espanso.

Braccioli fissi o regolabili in nylon.

Meccanismo synchron.

Gas: sistema di regolazione altezza sedile tramite alzata a gas.

Base 5 razze in nylon o alluminio.

Ruote piroettanti a doppio battistrada.

Backrest: High backrest with load-bearing structure made of nylon. Support structure of net made of plastic. Lumbar support made of polypropylene and adjustable in height.

Seat: internal load-bearing structure made of beech multilayer.

Underseat made of polypropylene.

Padding made of foamed polyurethane.

Fixed or adjustable **armrests** made of nylon.

Synchron **mechanism**.

Gas: height-adjustment system by gas lift.

5-spoke **base** made of nylon or aluminum.

Pirouetting **castors** with double tread.

Schienale basso con telaio portante in nylon. Cornice di supporto rete in materiale plastico. Supporto lombare regolabile in polipropilene.

Sedile: struttura portante interna in legno multistrato di faggio.

Sottosedile in polipropilene.

Imbottitura in poliuretano espanso.

Braccioli fissi o regolabili in nylon.

Meccanismo synchron.

Gas: sistema di regolazione altezza sedile tramite alzata a gas.

Base 5 razze in nylon o alluminio.

Ruote piroettanti a doppio battistrada.

Backrest: Low backrest with load-bearing structure made of nylon. Support structure of net made of plastic. Lumbar support made of polypropylene and adjustable in height.

Seat: internal load-bearing structure made of beech multilayer.

Underseat made of polypropylene.

Padding made of foamed polyurethane.

Fixed or adjustable **armrests** made of nylon.

Synchron **mechanism**.

Gas: height-adjustment system by gas lift.

5-spoke **base** made of nylon or aluminum.

Pirouetting **castors** with double tread.

Schienale alto con telaio portante in nylon. Cornice di supporto rete in materiale plastico. Supporto lombare regolabile in polipropilene.

Sedile: struttura portante interna in legno multistrato di faggio.

Sottosedile in polipropilene.

Imbottitura in poliuretano espanso.

Braccioli fissi in nylon.

Telaio slitta in acciaio ad alta resistenza.

Backrest: Low backrest with load-bearing structure made of nylon. Support structure of net made of plastic. Lumbar support made of polypropylene and adjustable in height.





Seat: internal load-bearing structure made of beech multilayer.

Underseat made of polypropylene.

Padding made of foamed polyurethane.

Fixed **armrests** made of nylon.

Sled-shaped **structure** made of high-strength steel.



RIVESTIMENTI: Vedi sezione tessuti e rivestimenti.

UPHOLSTERY: See section upholstery options.

POGGIATESTA / HEADREST




Poggiatesta, struttura in nylon fissa con imbottitura in poliuretano espanso.
Headrest: Fixed nylon structure with padding made of foamed polyurethane.


BRACCIOLI / ARMS




FC
Bracciolo fisso e Nylon nero.
Fixed polypropylene armrest and fixed nylon armrest - black.



RA
Bracciolo regolabile in altezza in nylon nero.
Height- adjustable armrest made of black nylon.



RB
Bracciolo regolabile in altezza, profondità e rotazione con supporto in acciaio e top in poliuretano.
Armrest adjustable in height, depth and rotation with steel support and polyurethane top.



RC
Bracciolo regolabile in altezza, profondità, rotazione e larghezza in nylon e top in poliuretano.
Armrest adjustable in height, width and rotation with steel support and polyurethane top.

MECCANISMI / MECHANISMS



S7
Meccanismo synchron con 1 posizioni di blocco.
Synchron mechanism with 1 blocking positions.



S0
Meccanismo synchron con 4 posizioni di blocco.
Synchron mechanism with 4 blocking positions.



S5
Meccanismo synchron con 4 posizioni di blocco e traslatore.
Synchron mechanism with 4 blocking positions and seat slider.

STANDARD

BASI / BASES



10
Base piramidale in nylon.
Pyramidal nylon base



16
Base piramidale in alluminio lucidato.
Pyramidal base made of polished aluminum.

RUOTE / CASTORS



W3
Ruota gommata con battistrada morbido Ø65.
Rubber castor with soft tread Ø65.



W4
Ruota gommata autofrenante con battistrada morbido Ø65.
Self-braking rubber castor with soft tread Ø65.



W5
Ruota cromata gommata con battistrada morbido Ø65.
Chrome rubber castor with soft tread Ø65.



W6
Ruota cromata gommata autofrenante con battistrada morbido Ø65.
Self-braking chrome rubber castor with soft tread Ø65



KK3005N16W3G



KK1005N16W3B



KK2007N10W3B



KK20T1NB

Poggiatesta: struttura in nylon fissa con imbottitura in poliuretano espanso.

Schienale alto con telaio portante in nylon. Cornice di supporto imbottitura in materiale plastico. Imbottitura in tessuto accoppiato su poliuretano tramite termosaldatura. Supporto lombare regolabile in polipropilene.

Sedile struttura portante interna in legno multistrato di faggio con imbottitura in poliuretano espanso.

Sottosedile in polipropilene.

Braccioli fissi o regolabili in nylon.

Meccanismo synchron.

Gas: sistema di regolazione altezza sedile tramite alzata a gas.

Base 5 razze in nylon o alluminio.

Ruote piroettanti a doppio battistrada.

Headrest: Fixed nylon structure with padding made of foamed polyurethane.

Backrest: High backrest with load-bearing structure made of nylon. Support structure of padding made of plastic. Padding is made of polyurethane and the fabric is coupled to the padding by means of heat-sealing. Lumbar support made of polypropylene and adjustable in height.

Seat: internal load-bearing structure made of beech multilayer with padding made of foamed polyurethane.

Underseat made of polypropylene.

Fixed or adjustable **armrests** made of nylon.

Synchron **mechanism**.

Gas: height-adjustment system by gas lift.

5-spoke **base** made of nylon or aluminum.

Pirouetting **castors** with double tread.

Schienale alto con telaio portante in nylon. Cornice di supporto imbottitura in materiale plastico. Imbottitura in tessuto accoppiato su poliuretano tramite termosaldatura. Supporto lombare regolabile in polipropilene.

Sedile struttura portante interna in legno multistrato di faggio con imbottitura in poliuretano espanso.

Sottosedile in polipropilene.

Braccioli fissi o regolabili in nylon.

Meccanismo synchron

Gas: sistema di regolazione altezza sedile tramite alzata a gas.

Base 5 razze in nylon o alluminio.

Ruote piroettanti a doppio battistrada.

Backrest: High backrest with load-bearing structure made of nylon. Support structure of padding made of plastic. Padding is made of polyurethane and the fabric is coupled to the padding by means of heat-sealing. Lumbar support made of polypropylene and adjustable in height.

Seat: internal load-bearing structure made of beech multilayer with padding made of foamed polyurethane.

Underseat made of polypropylene.

Fixed or adjustable **armrests** made of nylon.

Synchron **mechanism**.

Gas: height-adjustment system by gas lift.

5-spoke **base** made of nylon or aluminum.

Pirouetting **castors** with double tread.

Schienale basso con telaio portante in nylon. Cornice di supporto imbottitura in materiale plastico. Imbottitura in tessuto accoppiato su poliuretano tramite termosaldatura. Supporto lombare regolabile in polipropilene.

Sedile struttura portante interna in legno multistrato di faggio con imbottitura in poliuretano espanso.

Sottosedile in polipropilene.

Braccioli fissi o regolabili in nylon.

Meccanismo synchron.

Base 5 razze in nylon o alluminio.

Ruote piroettanti a doppio battistrada.

Backrest: Low backrest with load-bearing structure made of nylon. Support structure of padding made of plastic. Padding is made of polyurethane and the fabric is coupled to the padding by means of heat-sealing. Lumbar support made of polypropylene and adjustable in height.

Seat: internal load-bearing structure made of beech multilayer with padding made of foamed polyurethane.

Underseat made of polypropylene.

Fixed or adjustable **armrests** made of nylon.

Synchron **mechanism**.

Gas: height-adjustment system by gas lift.

5-spoke **base** made of nylon or aluminum.

Pirouetting **castors** with double tread.

Schienale basso con telaio portante in nylon. Cornice di supporto imbottitura in materiale plastico. Imbottitura in tessuto accoppiato su poliuretano tramite termosaldatura. Supporto lombare regolabile in polipropilene.

Sedile struttura portante interna in legno multistrato di faggio con imbottitura in poliuretano espanso.

Sottosedile in polipropilene.

Braccioli fissi in nylon.

Telaio slitta in acciaio ad alta resistenza.





Backrest: Low backrest with load-bearing structure made of nylon. Support structure of padding made of plastic. Padding is made of polyurethane and the fabric is coupled to the padding by means of heat-sealing. Lumbar support made of polypropylene and adjustable in height.

Seat: internal load-bearing structure made of beech multilayer with padding made of foamed polyurethane.

Underseat made of polypropylene.

Fixed **armrests** made of nylon.

Sled-shaped **structure** made of high-strength steel.



Tappezzeria schienale
Backrest upholstery colours




RIVESTIMENTI: Vedi sezione tessuti e rivestimenti.
UPHOLSTERY: See section upholstery options.

POGGIATESTA / HEADREST




Poggiatesta, struttura in nylon fissa con imbottitura in poliuretano espanso.
Headrest: Fixed nylon structure with padding made of foamed polyurethane.


BRACCIOLI / ARMS



FC
Bracciolo fisso in PP e Nylon nero.
Fixed polypropylene armrest and fixed nylon armrest - black.



RA
Bracciolo regolabile in altezza in nylon nero.
Height- adjustable armrest made of black nylon.



RB
Bracciolo regolabile in altezza, profondità e rotazione con supporto in acciaio e top in poliuretano.
Armrest adjustable in height, depth and rotation with steel support and polyurethane top.



RC
Bracciolo regolabile in altezza, profondità, rotazione e larghezza in nylon e top in poliuretano.
Armrest adjustable in height, width and rotation with steel support and polyurethane top.

MECCANISMI / MECHANISMS



S7
Meccanismo synchron con 1 posizioni di blocco.
Synchron mechanism with 1 blocking positions.



S0
Meccanismo synchron con 4 posizioni di blocco.
Synchron mechanism with 4 blocking positions.



S5
Meccanismo synchron con 4 posizioni di blocco e traslatore.
Synchron mechanism with 4 blocking positions and seat slider.

STANDARD

BASI / BASES



10
Base piramidale in nylon.
Pyramidal nylon base



16
Base piramidale in alluminio lucidato.
Pyramidal base made of polished aluminum.

RUOTE / CASTORS



W3
Ruota gommata con battistrada morbido Ø65.
Rubber castor with soft tread Ø65.



W4
Ruota gommata autofrenante con battistrada morbido Ø65.
Self-braking rubber castor with soft tread Ø65.



W5
Ruota cromata gommata con battistrada morbido Ø65.
Chrome rubber castor with soft tread Ø65.



W6
Ruota cromata gommata autofrenante con battistrada morbido Ø65.
Self-braking chrome rubber castor with soft tread Ø65